

Oil & Gas - PDT - Prysmian Downhole Technology

Exploration & Production

Protectors

BC Protector

COMMODITY: BC PROTECTOR

Protectors are designed to ensure that all control lines and cables are protected for the full length of the production string, thus reducing the risk of damage to cable, control line, or flatpacks. PDT's Protector portfolio includes clamping and cable protection solutions to protect cables from lateral, axial, and rotational loading in downhole applications. In addition to our standard cross-coupling range, PDT designs application specific solutions for demanding situations

APPLICATION

The BC (Banded Cover) Protector is a cast steel protective line cover that is designed for shallow wells with little or no deviation. The BC straddles the collar and is held to the tubing string with steel bands. The cast steel BC provides superior axial and lateral load protection compared to molded polymer and folded sheet steel covers.

The universal BC Protector can be used over a variety of tubing connections and accommodates several standard line configurations.

STANDARDS & APPROVALS

- All parts comply with NACE Standard MR0175 / ISO 15156

QUALITY & TESTING

- Manufactured in accordance with standard Inspection and Quality Plans
- Design Validation Testing Axial, Lateral, Rotational Testing
- Factory Acceptance Testing Visual Inspection
 Make Up / Fit Test
 Dimensional Inspection
 Cable Pull test
 Drift Verification

DESIGN & CONSTRUCTION

- All Cast
- Universal Design
- Shoulders on coupling
- Used with stainless steel banding
- Quick and Easy to install
- Reusable
- Custom designs to meet application

Materials

- Carbon Steel

Axial Loading

- 20 tons

Lateral Loading

- 20 tons

Rotational Loading

- 3 ton

Common Tubing Sizes

- 2- 3/8" / 2- 7/8" / 3- 1/2" / 4- 1/2" / 5"/ 5- 1/2" / 6" / 6- 5/8" / 7"



1